

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	797	709/237.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L2	670	709/237.ocls. and (@ad< "20030523" or @rlad< "20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L3	732	(analy\$4 or assess\$4 or evaluat \$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor \$3 or track\$3 or detect\$3) WITH (((rout\$3 or forward\$3) adj table) or ((traffic or packet) adj schedul\$2) or ((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L4	423	L3 and (@ad< "20030523" or @rlad< "20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L5	2	("2005/0076231").URPN.	USPAT	ADJ	ON	2009/12/05 17:46
L6	1	"6647509".pn.	USPAT	ADJ	ON	2009/12/05 17:46
L7	831	(analy\$4 or assess\$4 or evaluat \$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor \$3 or track\$3 or detect\$3) WITH ((rout\$3 adj (module or component)) or ((rout\$3 or forward\$3) adj table) or ((traffic or packet or queuing) adj scheduler) or ((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46

L8	432	((detect\$3) WITH ((route\$3 adj (module or component)) or ((route\$3 or forward\$3) adj table) or ((traffic or packet or queuing) adj scheduler) or ((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L9	220	L8 and (@ad< "20030523" or @riad< "20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L10	0	((analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH (((traffic or packet or queuing) adj scheduler)) WITH (failure or fault or error or problem or liveness or deadness or working)) and router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L11	11	((analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH (((traffic or packet or queuing) adj scheduler)) WITH (failure or fault or error or problem or liveness or deadness or working))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L12	171	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) near2 ((traffic or packet or queuing) adj scheduler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L13	28	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) adj ((traffic or packet or queuing) adj scheduler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L14	5	(test\$3) near2 ((traffic or packet or queuing) adj scheduler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46

L15	40	((test\$3) with ((traffic or packet or queuing) adj scheduler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L16	32	((test\$3) with ((traffic or packet or queuing) adj scheduler)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L17	16	((test\$3) adj ((rout\$3 or forward\$3) adj table)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L18	0	((test\$3) adj ((traffic or packet) adj classifier)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L19	0	((test\$3) with ((traffic or packet) adj classifier)) and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L20	76	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) adj ((traffic or packet) adj classifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L21	16	((test\$3) adj (classifier)) and router and (@ad<"20030523" or @rlad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L22	3	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH (((traffic or packet) adj classifier)) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46

L23	8	((test\$3) adj (rout\$3 adj (module or component))) and (@ad< "20030523" or @riad< "20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L24	19	((test\$3) near3 ((router or routing) adj (module or component))) and (@ad< "20030523" or @riad< "20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L25	153	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH ((data or forwarding) adj plane) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L26	67	L25 and (@ad< "20030523" or @riad< "20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L27	3007	(analy\$4 or assess\$4 or evaluat\$3 or examin\$3 or check\$3 or test\$3 or determin\$5 or monitor\$3 or track\$3 or detect\$3) WITH (router) WITH (failure or fault or error or problem or liveness or deadness or working)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L28	1359	L27 AND ((transmit\$3 or transmis\$4 or retransmit\$3 or retransmis\$4 or transfer\$3 or forward\$3 or rout\$3 or send\$3 or sent or resend\$3 or resent or direct\$3 or redirect\$3 or broadcast\$3 or unicast\$3 or multicast\$3 or (broad or uni or multi) adj cast\$3) WITH (message or frame or packet or unit or block or segment or data or information or signal) WITH (status\$2 or state or fail\$5 or up or down or live\$5 or dead\$5 or error\$5 or fault\$5)) AND ((updat\$3 or alter\$5 or modif\$7 or (up adj dat\$3) or record\$5) WITH (status\$2 or state or fail\$5 or up or down or live\$5 or dead\$5 or error\$5 or fault\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46

L30	52	((link state advertisement) or (link state packet)) same ((interface or port) with (status \$2 or state or fail\$5 or up or down or live\$5 or dead\$5 or error\$5 or fault\$5 or flag))) and (link state database) and (@ad<"20030523" or @riad<"20030523")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L31	489	(bit adj error adj rate) and (@ad<"20030523" or @riad<"20030523") and (((interface or port) with (status \$2 or state) with (information or message)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/05 17:46
L32	27	(concatenating OR aggregating OR combining OR merging OR batching OR consolidating) near6 (link near2 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L33	729	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5 OR join\$5 or group\$5) near6 (link near2 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L34	40	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5 OR join\$5 or group\$5) near6 (link near2 (state or status) near2 (message or advertisement))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L35	352	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5) near6 (link near2 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L36	320	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5) near6 (interface near3 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L37	22	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5) near6 (interface near3 (state or status)) near5 (message)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L38	331	(concatenat\$5 OR aggregat\$5 OR combin\$5 OR merg\$5 OR batch\$5 OR consolidat\$5) near4 (link near3 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46

L39	6	L36 and L38	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L40	1	"20040125774".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L41	42	explicit near6 (state or status) near6 (interface or (data adj plane) or port)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L42	97	explicit\$2 near6 (state or status) near6 (interface or (data adj plane) or port)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L43	74	L42 and (@ad<="20030523" or @rlad<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L44	133	(state or status) near6 (interface or (data adj plane) or port) near6 (re\$1start\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L45	94	L44 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L46	15	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (re\$1start\$5)) near20 (state or status)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L47	11	L46 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L48	110	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (re\$1start\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L49	70	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (re\$1start\$5)) and ((state or status) near6 (interface or (data adj plane) or port))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L50	38	L49 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46

L51	316	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (re\$1set\$5)) and ((state or status) near6 (interface or (data adj plane) or port))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L52	225	L51 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L53	0	((message or packet or advertisement) near6 (node) near6 ("not" near2 report\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L54	0	((message or packet or advertisement) near6 (device) near6 ("not" near2 report\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L55	150	((message or packet or advertisement) near6 (interface or (data adj plane) or port) near6 (\$1sleep\$3 or hibernat\$3 or suspend\$3)) and ((state or status) near6 (interface or (data adj plane) or port))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L56	125	L55 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L57	0	((message or packet or advertisement) near6 (interface or (data adj plane) or port or link) near6 (can\$1t near2 report \$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L58	0	((message or packet or advertisement) near6 (interface or (data adj plane) or port or link) near6 ("not" near2 report \$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L59	0	((message or packet or advertisement) near6 (interface or (data adj plane) or port or link) near6 (isn\$1t near2 report \$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L60	82	((message or packet or advertisement) near6 (link) near6 (\$1sleep\$3 or hibernat\$3 or suspend\$3)) and ((state or status) near6 (link))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L61	46	L60 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46

L62	85	((message or packet or advertisement) near6 (link) near6 (re\$start\$5)) and ((state or status) near6 (interface or (data adj plane) or port or link))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46
L63	45	L62 and (@ad<="20030523" or @rlad<="20030523" or @pd<="20030523" or @rlpd<="20030523")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/12/05 17:46

12/ 5/ 2009 5:55:00 PM

C:\Documents and Settings\vkrishnan\My Documents\EAST\Workspaces\10775544.wsp